

For product information or design assistance,
please contact your local representative or
call us at 1-800/547-1940, Ext. 991.


See more at www.TimberForm.com

TimberForm[®] 37
Broadway[™]




TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2624-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
	2624-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*


Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).



2624




2624-6




TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest	2625-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
	2625-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*


Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).



2625




2625-6



TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2620-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2620-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*


Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).



2620




2620-6




TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Intermediate Armrest	2621-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2621-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*


Material: Powder-coated steel.
Options: Powder-coating color.
Suggestions: Specify matching litter container **2629**.
Notes: * For permanent or movable applications only (anchoring bolts by others).



2621



2621-6



For product information or design assistance, please contact your local representative or call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com



TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Armrests	2626-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
	2626-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*





Also offered with recycled plastic slats. Specify **2636**.

Material: Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify **2636** for recycled plastic slats.

Options: Frame color and slat material (Marine teak, Purpleheart wood or recycled plastic).

Suggestions: Specify matching litter container **2629**.

Notes: * For permanent or movable applications only (anchoring bolts by others).



2626 and 2636 2626-6 and 2636-6

TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Bench with Intermediate Armrest	2627-6	6' 0" [1830mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*
	2627-8	8' 0" [2440mm]	2' 0" [610mm]	2' 9" [840mm]	1' 4" [405mm]	Surface*



Also offered with recycled plastic slats. Specify **2637**.

Material: Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify **2637** for recycled plastic slats.

Options: Frame color and slat material (Marine teak, Purpleheart wood or recycled plastic).

Suggestions: Specify matching litter container **2629**.

Notes: * For permanent or movable applications only (anchoring bolts by others).



2627 and 2637 2627-6 and 2637-6

TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Armrests	2622-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2622-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*





Also offered with recycled plastic slats. Specify **2632**.

Material: Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify **2632** for recycled plastic slats.

Options: Frame color and slat material (Marine teak, Purpleheart wood or recycled plastic).

Suggestions: Specify matching litter container **2629**.

Notes: * For permanent or movable applications only (anchoring bolts by others).



2622 and 2632 2622-6 and 2632-6



TimberForm Broadway	Model	Length	Width	Height	Seat Height	Mounting
Seat with Intermediate Armrest	2623-6	6' 0" [1830mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*
	2623-8	8' 0" [2440mm]	1' 9" [535mm]	2' 0" [610mm]	1' 4" [405mm]	Surface*




Also offered with recycled plastic slats. Specify 2633.


Material: Frame of powder-coated steel with kiln-dried 6/4 and 8/4 patterned Alaska yellow cedar slats. Specify 2633 for recycled plastic slats.

Options: Frame color and slat material (Marine teal, Purpleheart wood or recycled plastic).


Suggestions: Specify matching litter container 2629.



2623 and 2633



2623-6 and 2633-6




TimberForm Broadway	Style	Model	Diameter	Height	Mounting Options
Litter Container, Side Empty	Open Top	2629-OT ¹	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Flat Top	2629-FT	2' 2" [660mm]	2' 10" [865mm]	-E, -P or -L
	Dome Top	2629-DT	2' 2" [660mm]	3' 7" [1090mm]	-E, -P or -L
	Ash/Dome Top	2629-AT	2' 2" [660mm]	3' 6" [1065mm]	-E, -P or -L


Material: Powder-coated steel.

Options: Mounting method and powder-coating color.


Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops and side opening door are standard on -FT, -DT and -AT.
¹ Key-locking top and side opening door not required on Open Top (-OT) model.




2629-OT




2629-FT



2629-DT



2629-AT



Side opening door standard on -FT, -DT and -AT.

"Large Capacity"