







TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Chair with Armrests	2783-2	2' 2" [660mm]	1' 10" [560mm]	3' 1" [940mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow backrest.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.




TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Settee with Armrests	2783-4	4' 2" [1270mm]	1' 10" [560mm]	3' 1" [940mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow backrests.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.




TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Bench with Armrests	2783-6	6' 2" [1880mm]	1' 10" [560mm]	3' 1" [940mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow backrests.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.




U.S. Patent Des. 369,922



TimberForm Willow	Model	Length	Width	Height	Seat Height	Mounting Options
Seat with Armrests	2781-6	6' 2" [1880mm]	1' 8" [510mm]	2' 2" [660mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame, contoured tubular seat and round rod willow armrests.
Options: Mounting method and powder-coating color.
Suggestions: Specify matching litter container **2786** and ash receptacle **2788**. Matching planters are available.




2781 2781-6

U.S. Patent Des. 369,914

TimberForm Willow	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2786-OT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2786-FT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2786-DT	1' 9" [535mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2786-AT	1' 9" [535mm]	3' 2" [965mm]	-E, -P or -L
	Hamper Top	2786-HT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L

Material: Powder-coated Schedule 40 steel pipe frame and round rod willow surround.
Options: Mounting method, powder-coating color, and powder-coated metal liner.
Notes: Includes 18-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops are standard on **-FT, -DT** and **-AT**.


U.S. Patent Des. 371,657



2786-OT 2786-FT 2786-DT 2786-AT 2786-HT

"Standard Capacity"

TimberForm Willow	Model	Diameter	Height	Mounting Options
Ash Receptacle	2788	1' 2" [355mm]	2' 8" [815mm]	-E or -P



2788

Material: Powder-coated Schedule 40 steel pipe frame, liner and round rod willow surround.
Options: Mounting method and powder-coating color.
Notes: Includes matching powder-coated steel ash tray/liner.

For mounting details on these and other products shown in this catalog please see inside back cover.