


For product information or design assistance, please contact your local representative or call us at 1-800/547-1940, Ext. 991.

See more at www.TimberForm.com



Ten CASPAX-7™ Standard Powder-Coating Colors

Choose from these standard hues or from a wide spectrum of nearly 200 special designer colors.



Due to variations in the printing process the colors shown above are only a guide to the actual powder-coating colors.




TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Bench	2613-4	4' 2" [1270mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L
	2613-6	6' 2" [1880mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L
	2613-8'	8' 2" [2490mm]	2' 6" [760mm]	2' 8" [815mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel seating surface.


Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2615** or **2618** and ash receptacle **2616**. Matching planters are available.


Notes: ¹Includes one intermediate frame.



2613



2613-6



TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2611-4	4' 2" [1270mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L
	2611-6	6' 2" [1880mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L
	2611-8'	8' 2" [2490mm]	2' 0" [610mm]	1' 5" [430mm]	1' 4" [405mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel seating surface.

Options: Mounting method and powder-coating color.

Suggestions: Specify matching litter container **2615** or **2618** and ash receptacle **2616**. Matching planters are available.


Notes: ¹Includes one intermediate frame.



2611



2611-6



TimberForm Boulevard	Model	Length	Width	Height	Seat Height	Mounting Options
Seat	2602-6	6' 2" [1880mm]	1' 8" [510mm]	1' 5" [430mm]	1' 4" [405mm]	-E or -P


Material: Powder-coated steel with perforated steel seating surface.

Options: Mounting method and powder-coating color.


Suggestions: Specify matching picnic table **2609-6** (see page 94), litter container **2615** or **2618** and ash receptacle **2616**. Matching planters are available.



2602




2602-6




TimberForm Boulevard	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2615-OT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2615-FT	1' 9" [535mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2615-DT	1' 9" [535mm]	3' 3" [990mm]	-E, -P or -L
	Ash/Dome Top	2615-AT	1' 9" [535mm]	3' 2" [965mm]	-E, -P or -L
	Hamper Top	2615-HT	1' 9" [535mm]	3' 4" [1015mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel surround.
Options: Mounting method and powder-coating color.
Notes: Includes 18-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops are standard on -FT, -DT and -AT models.




TimberForm Boulevard	Style	Model	Diameter	Height	Mounting Options
Litter Container	Open Top	2618-OT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Flat Top	2618-FT	2' 2" [660mm]	2' 8" [815mm]	-E, -P or -L
	Dome Top	2618-DT	2' 2" [660mm]	3' 5" [1040mm]	-E, -P or -L
	Ash/Dome Top	2618-AT	2' 2" [660mm]	3' 4" [1015mm]	-E, -P or -L

Material: Powder-coated steel with perforated steel surround.
Options: Mounting method and powder-coating color.
Notes: Includes 32-gallon plastic liner. Top matches container unless otherwise specified. Key-locking tops are standard on -FT, -DT and -AT models.



TimberForm Boulevard	Model	Diameter	Height	Mounting Options
Ash Receptacle	2616	1' 2" [355mm]	2' 8" [815mm]	-E or -P



Material: Powder-coated steel with perforated steel surround.
Options: Mounting method and powder-coating color.
Notes: Includes black powder-coated steel ash tray/liner.

2616

Mounting Options -E Add this suffix for embedment (permanent) mounting option. -P Add this suffix for pedestal (fixed surface) mounting option (anchoring bolts by others). -L Add this suffix for leveling feet option.